


VinylStat C and VinylStat D Homogeneous Table Mat

Description

A homogeneous polymer mix construction with unsurpassed electrical properties, gives VinylStat C a consistent, controlled static drain and physical properties with highest level of protection. VinylStat D is made with the same homogeneous polymer mix as the VinylStat C but 0.0625" thick

Meets or exceeds requirements of ANSI ESD-S20.20 and the recommendations of ESD 4.1.



Product Specifications

<u>Physical Properties</u>	<u>Typical Value</u>
Color	(Blue, Grey)
Emboss Pattern	KidGrain
Gauge	VinylStat C: 0.093" VinylStat D: 0.0625"
Tensile	900 lb/in ² minimum
Elongation	160% minimum
Tear	160 lb/in minimum
Durometer	85 ± 5 (Shore A)

Electrical Properties

R _{TT} (ohm/square)@100v	1.0 x 8 ⁷ x 7.0 ⁸ Ω/sq
Static Decay	<0.01 seconds

Suggested Service Temperature -20° F to + 160° F ⁽²⁾

Product Number

<u>Item Number</u>	<u>Description</u>
VMC 2450B:	2' x 50', Blue, Solid vinyl roll
VMC 3050B:	30" x 50', Blue, Solid vinyl roll
VMC 3650B:	3' x 50', Blue, Solid vinyl roll
VMC 4850B:	4' x 50', Blue, Solid vinyl roll
VMD 2450B:	2' x 50', Blue, Solid vinyl roll
VMD 3050B:	30" x 50', Blue, Solid vinyl roll
VMD 3650B:	3' x 50', Blue, Solid vinyl roll
VMD 4850B:	4' x 50', Blue, Solid vinyl roll

*Specify (GY) in place of (B) for GRAY

This document is prepared for our customers as a service, and is to the best of our knowledge true and accurate. However, it is understood and agreed by the users of this document that we will accept no liability for the conclusions reached. Users of this document may therefore wish to perform additional testing before determining that products mentioned are suitable.



Transforming Technologies, LLC

3407 Silica Rd.
Sylvania, OH 43560

Phone: 1.419.841.9552
Fax: 1.419.841.3241
www.transforming-technologies.com

Outstanding Alternatives in Static Control